

# Abrasives for Painters and Decorators



# Genuine STARCKE. Since 1829.



## EXCELLENCE IS NOT A MATTER OF CHANCE

**A**brasives from STARCKE are typical “Made in Germany” quality. For customers and partners world-wide, this means they can rely on a leading supplier for professional abrasive operations in industrial manufacturing and trade. We offer efficient solutions ensuring perfect results in all lines of industry and areas of application.

**T**he STARCKE organization is a medium-sized and independent fourth-generation family-run business and ranks among the leading suppliers of high-quality coated abrasives. For more than

185 years, STARCKE abrasive fabrics and papers have been used to give the required finish to a wide variety of different products, ensuring top-quality results.

**Q**uality is one of our top priorities and subject to continuous review. This includes inspecting our batches on a regular basis and documenting the results. In addition to being ISO 9001 certified, STARCKE also complies with individual customer-defined standards.

## OUR EXPERTISE IN SURFACE FINISHING IN THE PAINTER AND DECORATOR TRADE

We are your specialist for perfect surfaces in painter and decorator applications.

### **We ensure perfect results by offering:**

- a high-performance range of products
- consistent product quality
- reliable delivery

# EXPERTISE IN SURFACE FINISHING

YOUR PARTNER FOR ALL AREAS OF THE TRADE



1. Pre-sanding



2. Between Coats sanding



3. Perfect result

# PAINT – VARNISH – FILLER



## ARTICLE-NO. 713 B

Backing	Moderately flexible B-paper
Bonding	Full resin over resin
Grain type	White aluminum oxide
Coat	Open
Dimensions	230 x 280 mm, 115 x 280 mm, 115 x 50.000 mm, 115 x 5.000 mm
Grits	P 40, P 60 – P 320, P 400
Shapes	Sheets, strips, sold by the meter in large and small packages
Areas of application	High-quality standard grade for painter and decorator and woodworking applications
Benefits	<ul style="list-style-type: none"> <li>– Easy handling thanks to flexible backing and bonding</li> <li>– Open coat reduces clogging</li> <li>– Excellent price-performance ratio</li> </ul>



## ARTICLE-NO. 514 D/C2

Backing	Flexible latex C- or D-paper
Bonding	514 D: Full resin over resin 514 C2: Full resin over resin with stearate coating
Grain type	Aluminum oxide
Coat	Wide open
Dimensions	230 x 280 mm, 115 x 280 mm, 115 x 50.000 mm, 115 x 5.000 mm
Grits	514 D: P 40, P 60 – P 120 514 C2: P 150 – P 320, P 400
Shapes	Sheets, strips, sold by the meter in large and small packages
Areas of application	High-quality special grade for painters and decorators
Benefits	<ul style="list-style-type: none"> <li>– Maximum service life due to wide open coat</li> <li>– Ideal for water-based and solvent-based paints and varnishes due to optimized grain distribution</li> <li>– Uniform sanding results for all types of paint and varnish</li> </ul>





**ARTICLE-NO. 514 DK**

Backing	Rigid latex D-Paper
Attachment	Grip
Bonding	Full resin over resin
Grain type	Aluminium oxide
Coat	Wide open
Dimensions	Diameter 225 mm
Grits	P 40, P 60, P 80, P 100, P 120
Areas of application	Sanding of plasterboard and drywall filler, removal of wallpaper remnants
Benefits	<ul style="list-style-type: none"> <li>– Strong D-paper backing makes this the universal abrasive disc for painters and façade builders</li> <li>– Maximum service life due to wide open coat</li> <li>– 2 circular hole patterns for Festool and Flex systems</li> <li>– Strong and sealable package.</li> </ul>



**ARTICLE-NO. 514 DK – 514 C2K**

Backing	Flexible latex C- or D-Paper
Attachment	Grip
Bonding	Full resin over resin
Grain type	Aluminum oxide
Coat	Wide open
Dimensions	88 x 93 mm for Black & Decker, Bosch, Makita, Metabo systems 88 x 95 mm and 100 x 150 mm for Festool system
Grits	P 40, P 60 – P 120
Areas of application	– Sanding of paints and varnishes in corner areas
Benefits	<ul style="list-style-type: none"> <li>– Maximum service life due to wide open coat</li> <li>– Ideal for water-based and solvent-based paint and varnishes due to optimized grain distribution</li> </ul>



# PAINT – VARNISH - FILLER



## ARTICLE-NO. 991 A/C

Backing	Flexible A-paper or rigid C-paper
Bonding	Full resin over resin, waterproof
Grain type	Silicon carbide
Coat	Closed
Dimensions	230 x 280 mm
Grits	991 C: P 60 – P 320, P 400 – P 1200 991 A: P 220 – P 2500, 3000, 5000
Shapes	Sheets
Areas of application	Sanding of primer coats, spackle, filler, paint, varnish.
Benefits	<ul style="list-style-type: none"> <li>– Wet sanding for perfect surface finish by brief immersion in water.</li> <li>– The wet abrasive binds sanding dust.</li> </ul>



## ARTICLE-NO. 542 B7/C7

Backing	Flexible latex B- or C-paper with high tear-resistance
Bonding	Full resin over resin with dust-repellent additives in size coat
Coat	Aluminum oxide
Dimensions	Slightly open
Grits	542 C7: P 40, P 60 – P 120 542 B7: P 150 – P 800
Shapes	Sheets, strips, discs, sold by the meter, Velcro strips and discs for Festool system
Areas of application	First sanding of paint, varnish, glaze, and wood
Benefits	<ul style="list-style-type: none"> <li>– Dust repellent additives in the size coat reduce clogging</li> <li>– Excellent price-performance ratio</li> </ul>



# SMALL PACKAGING



## ARTICLE-NO. 713 B

Cut shapes      Sheets packed in units of 10  
                         Rolls packed in units of 5 m length

Benefits

- Purchase tailored to individual project.
- Individual billing.
- No large stock quantities.
- No partially used packages.

For details please refer to our price list.



# STARCKE®

Genuine STARCKE. Since 1829.

STARCKE GmbH & Co. KG  
Markt 10  
D-49324 Melle  
Telephone + 49 (0) 54 22 966-0  
Fax + 49 (0) 54 22 966-301  
info@starcke.de  
www.starcke.de